

# PARA EQUESTRIAN MANUAL FOR CLASSIFIERS

FEI Equestrian Events for Athletes with Impairments

# Fifth Edition April 2017

Updates effective 1 January 2019

Copyright © 2019 Fédération Equestre Internationale Reproduction strictly reserved

Fédération Equestre Internationale

Chemin de la Joliette 8

1006 Lausanne

Switzerland

t +41 21 310 47 47

f +41 21 310 47 60

e info@fei.org

www.fei.org

# **Contents**

FOR	PEWARD	3
ACK	NOWLEDGEMENT	3
1.	INTRODUCTION	4
2.	ELIGIBLE IMPAIRMENTS	5
3.	GRADES AND PROFILES FOR ATHLETES: PARA- EQUESTRIAN DRESSAGE	6
4.	GRADES AND PROFILES FOR ATHLETES: PARA EQUESTRIAN DRIVING	9
5.	CONDUCTING ATHLETE EVALUATION	11
6.	ATHLETE PRESENTATION AND INTERVIEW	12
7.	EQUIPMENT REQUIRED FOR ASSESSMENT	12
8.	ATHLETE ASSESSMENT	13
9.	DETERMINING THE RESULT	18
10.	DETERMINING BASE LINE SCORES	19
11.	GRAPHICAL REPRESENTATION OF PROFILES	20
12.	PROFILE DESCRIPTION	22
13.	MAXIMUM SCORE ALLOWED FOR EACH PROFILE	31
14.	DUAL PROFILES	32
16.	COMPENSATING AIDS FOR PARA EQUESTRIAN	33
17.	APPENDICES	38

#### **FOREWARD**

This Manual for Classifiers was produced by the FEI Classification Working Group in consultation with the FEI Para Equestrian Technical Committee and FEI Classifiers.

The contents of this Manual has been written with reference to the following documents produced by the FEI or the International Paralympic Committee (IPC):

- FEI Classification Rules
- FEI Para Dressage Rules
- IPC Athlete Classification Code (November 2015)
- IPC International Standard for Eligible Impairments (2015)
- IPC International Standard for Athlete Evaluation (2015)

The FEI Manual for Classifiers applies to:

- Classification personnel carrying out Athlete Evaluation for the purpose of FEI Classification for the Paralympic discipline Para Dressage.
- Classification personnel carrying out Athlete Evaluation for the purpose of FEI Classification for the discipline Para Driving.

It is recommended that Classification personnel carrying out Athlete Evaluation for the purpose of Classification for National Federations follow these procedures.

#### **ACKNOWLEDGEMENT**

Acknowledgement is given to Dr Christine Meaden, the author of the Profile System described in this Manual.

#### 1. INTRODUCTION

Classification for Para Equestrian sport was introduced in the lead up to the Paralympic Games in Atlanta. The Profile System was developed by Dr Christine Meaden (PhD) during the early 1990s as part of her PhD research study (unpublished) to develop a standard scoring method for the purpose of Classification. Dr Meaden's research included the collection of data over a 4 year period to develop the baseline scores used to determine the Profile as described in this Manual. Since this time the Meaden Profiling system has been refined and enhanced including the addition of new Profiles and the adjustment to baseline scores to better reflect the requirements of the sport. There has been no further revision of baseline scores since 2012. In this version, an error has been corrected to the trunk scores for Profile 7 and Profile 13.

Impairment is assessed as described in this Manual. The Meaden Profiling System is then used to classify Impairment into easily recognised Profiles and the grouping of these Profiles into Grades (Sport Class) for competition. The Profiles are versatile but tight, easy to use and understand and are sport specific. The movement and mobility Profiles are based on the ability of the functioning part of the body.

This Classification system will not disadvantage an especially skilled Athlete who may appear to be more able than is actually so.

Dressage and Driving are complex sports. Both sports are built on the premise that two Athletes are competing as one, the Horse and rider or Horse and Driver. In the sport of Para Equestrian, the Horse, like people, come in different shapes and sizes and different athletic ability – all of which may influence the rider's position on the Horse. The aim of Equestrian sports is for the Rider or Driver to demonstrate their skill by influencing the Horse in order to perform the task required, whether it is Dressage movements or Driving the Horse.

When assessing the Athlete for Para Equestrian, much of the assessment is conducted in a sitting position to simulate either the riding or driving position. Balance is assessed in a simulated riding position (sitting) in the assessment room though in some instances it may be necessary to review the Athlete's balance when mounted.

Athletes should be observed during training and competition by the Classification Panel to confirm that the Impairment recorded during the assessment is the same as that seen when mounted. Classification is not definitive until the Athlete has been observed riding.

For some Athletes an Observation Assessment may be required to assess specific tasks and activities associated with the sport before a Grade and Grade Status can be allocated (Refer to FEI Para Equestrian Classification Rules).

This manual describes the Athlete Evaluation process for Athletes with physical Impairments.

Classification for Vision Impairment must be conducted by a Classification Panel accredited to carry out such an assessment.


# 2. ELIGIBLE IMPAIRMENTS

2.1 The Eligible Impairments for Para Equestrian sport.

Impairment	Description
Impaired muscle power	Reduced force generated by muscles or muscle groups, such as muscles of one limb or the lower half of the body, as caused, for example, by spinal cord injuries, spina bifida or polio.
Impaired passive range of movement	Range of movement in one or more joints is reduced permanently, for example due to arthrogryposis. Hypermobility of joints, joint instability, and acute conditions, such as arthritis, are not considered eligible Impairments.
Limb deficiency	Total or partial absence of bones or joints as a consequence of trauma (e.g. car accident), illness (e.g. bone cancer) or congenital limb deficiency (e.g. dysmelia).
Leg length difference	Bone shortening in one leg due to congenital deficiency or trauma.
Short stature	Reduced standing height due to abnormal dimensions of bones of upper and lower limbs or trunk, for example due to achondroplasia or growth hormone dysfunction.
Hypertonia	Abnormal increase in muscle tension and a reduced ability of a muscle to stretch, due to a neurological condition, such as cerebral palsy, brain injury or multiple sclerosis.
Ataxia	Lack of co-ordination of muscle movements due to a neurological condition, such as cerebral palsy, brain injury or multiple sclerosis.
Athetosis	Generally characterised by unbalanced, involuntary movements and a difficulty in maintaining a symmetrical posture, due to a neurological condition, such as cerebral palsy, brain injury or multiple sclerosis
Visual Impairment (VI)	Vision is impacted by either an Impairment of the eye structure, optical nerves or optical pathways, or the visual cortex

#### 3. GRADES AND PROFILES FOR ATHLETES: PARA DRESSAGE


### Key:



# **Grade I Para Dressage**

Athletes in Grade I have severe Impairments affecting all limbs and trunk. The Athlete usually requires the use of a wheelchair. They may be able to walk with an unsteady gait. Trunk and balance are severely impaired.


Profiles: 1, 2, 3, 5, 7, 12a, 13



#### Grade II Para Dressage

Athletes in Grade II have either a severe Impairment of the trunk and minimal Impairment of the upper limbs or moderate Impairment of the trunk, upper and lower limbs. Most Athletes in this Grade use a wheelchair in daily life.


Profiles: 4, 6, 9,10a, 11a, 12b, 31a



#### **Grade III Para Dressage**

Athletes in Grade III have severe Impairments in both lower limbs with minimal or no Impairment of the trunk or moderate Impairment of the upper and lower limbs and trunk. Some Athletes in this Grade may use a wheelchair in daily life.


Profiles: 8, 10b, 11b, 14, 17a, 18a, 27, 31b, 32



#### **Grade IV Para Dressage**

Athletes in Grade IV have a severe Impairment or deficiency of both upper limbs or a moderate Impairment of all four limbs or short stature. Athletes in Grade IV are able to walk and generally do not require a wheelchair in daily life. Grade IV also includes Athletes having a visual Impairment equivalent to B1 with very low visual acuity and/or no light perception.


Profiles: 15, 17b, 18b, 19a, 21, 25, 26a, 28, 36




#### **Grade V Para Dressage**

Athletes in Grade V have a mild Impairment of movement or muscle strength or a deficiency of one limb or mild deficiency of two limbs. Grade V also includes Athletes with visual Impairment equivalent to B2 with a higher visual acuity than visually impaired Athletes competing in Grade IV and/or a visual field of less than 5 degrees radius.

Profiles: 16, 19b, 20, 22, 23, 24, 26b, 37a






#### **Not Eligible**

Profiles: 29, 30, 37b, 38, 42, 48, 39

Please refer to Article 11. Graphical Representation of Profiles for graphic representation.

#### 4. GRADES AND PROFILES FOR ATHLETES: PARA DRIVING


# Key:



# **Grade I Para Driving**

Profiles: 1, 2, 3, 4, 5, 6, 7, 9, 10a, 12a, 12b 13, 14, 21, 26a, 31a/b, 32

This Grade includes a range of impairments including: Moderate to severe Impairment in all four limbs and trunk and who may or may not be able to walk; Moderate to severe Impairment in three limbs and trunk; Severe Impairment in two unilateral limbs and trunk; Severe Impairment in upper limbs and trunk; Severe impairment in upper limbs with mild impairment in lower limbs; Severe Impairment in the upper limbs; Most Athletes in this Grade will use a wheelchair in daily life for some or all mobility.




#### **Grade II Para Driving**

Profiles: 8, 10b, 11, 15, 16, 17, 18, 19, 22, 24, 25, 26b, 27, 28

This Grade includes a range of Impairments including: mild Impairment in all four limbs and trunk, severe to moderate Impairment in one or two lower limbs; two limbs on the same side; moderate to mild Impairment of one or two upper limbs.

Those in this Grade have less Impairment than Grade I and are considered to be functionally disadvantaged against able bodied Drivers.



# **Not Eligible**

Profiles: 20, 23, 29, 30, 36, 37a, 37b, 38, 39, 42, 48

Please refer to Article 11. Graphical Representation of Profiles for graphic representation

#### 5. CONDUCTING ATHLETE EVALUATION

Athlete Evaluation is conducted by the nominated Classification Panel for the Event and involves:

- Review of the Athlete's medical documentation
- Athlete presentation and interview
- Athlete assessment
  - Physical assessment (bench test);
  - Observation assessment of the Athlete performing specific skills required of the sport during training and/or at first appearance in the Competition for any Athletes requiring observation.

The assessment for the purpose of Classification for Para Equestrian sport has been determined by the physical requirements of Dressage or Driving. For this reason the majority of the assessment is done in a simulated riding position (sitting) as it is not possible to conduct the assessment on the Horse or in the Carriage.

The Classifier should endeavour to conduct the Evaluation in such a way so as to minimise the need for the Athlete to move from one test position to the other.

It is necessary to measure and **record only the relevant Impairment**, whether power, joint range, or coordination. The Athlete's presenting health condition will inform which Impairment is to be measured. There must be medical documentation which supports the presence of any Impairment. For example:

- Muscle Power is measured for conditions resulting in impaired muscle power, for example, spinal cord injuries (SCI)
- Joint Range of Movement -active (AROM) is measured for those with joint Impairment
- Coordination is measured for those with upper motor neuron lesions, for example, cerebral palsy or acquired brain injury.
- A combination of power and coordination may be used for neuromuscular conditions, then using the lowest score to calculate the Profile.

Increments of 0.5 may be used in the following scoring methods.

Other Not Eligible Impairments of hearing or learning can be recorded on the assessment sheet but do not impact the overall result. Nominated compensating aids may be allowed for Athletes presenting with such Impairments.

#### 6. ATHLETE PRESENTATION AND INTERVIEW

The Athlete should be dressed appropriately and bring any devices they use (such as splints) on their body.

The Classifiers commence the process by:

- Verifying the accreditation of the Athlete and ensuring all documentation is available and complete prior to commencing (Refer to FEI Classification Rules).
- Briefly discussing the Athlete's health condition. If the Athlete has a health condition that limits or prohibits full effort during the assessment, they may not be appropriate for assessment at that time. The Chief Classifier may reschedule if possible. If the assessment cannot be conducted, a Grade cannot be allocated for Competition.
- Prior to commencing the physical assessment the Athlete should be provided with information (with reference to the FI Classification Rules) in regards to:
  - o The Athlete Evaluation process, including that the Athlete will need to be touched by the Classifier, and requirements of the Athlete throughout including that the Athlete must be as able as possible.
  - Reasons why an Evaluation may be suspended, such as pain impacting the Athlete's ability to carry out the required tasks, and the subsequent process.
  - o The process if an Athlete is thought to be misrepresenting their skills.
  - o Explanation of Profiles, Grade and Grade Status.
  - o The process for Protests and Appeals.
  - o The use of any assistive devices or compensating aids, including splints, when riding or Driving.
  - The process following assessment including the time frame for notification of their Grade and that the Athlete will be observed during training and Competition.

#### 7. EQUIPMENT REQUIRED FOR ASSESSMENT

The Classifier should ensure the following is available to complete a Classification assessment:

- FEI Para Equestrian Classification Rules.
- FEI Manual for Classifiers.
- Access to Athlete medical documentation.
- FEI Consent for Classification Form.
- FEI Athlete Evaluation form either Para Dressage or Para Driving
- Computer/ pencil / pen / calculator.
- Goniometer /tape measure /reflex hammer.
- A sturdy plinth or assessment bench/massage table height adjustable if possible.
- Sturdy low back chair without arms and fixed legs (not folding legs or on castors).
- Small thin cardboard card (approximately 15cm x 10cm) to measure interossei strength.
- A4 size cardboard sheet non-slip on back side. A different coloured circle in each corner approximately 5cm in diameter. To be used for Coordination Test 6.



#### 8. ATHLETE ASSESSMENT

#### 8.1 Balance Testing

Static balance is tested in sitting and standing. Rhythmic stabilisation technique is used to establish whether the Athlete presents with balance that can be designated as being:

- Normal
- Slight Impairment
- Moderate Impairment
- No balance

This is recorded on the Classification Assessment Card.

#### 8.2 Manual Muscle Testing (Power scale) 1

The reference range of movement for assessment of muscle power is reflective of that required for riding or Driving a Horse

Score		and Worthingham Summary)	Adaptation for the purpose of Classification in Para Equestrian
0	Zero	No muscle activity	
1	Trace activity	Trace activity but no movement of the limb	Palpation
2	Poor	Muscle can move joint through full range of movement in a position that minimizes gravity.	Through the maximum range of movement required in riding e.g. 45-90 degrees elbow flexion or full range.
3	Fair	Muscle can complete a full range of available movement against only the resistance of gravity, but application of resistance causes movement to break.	Through the maximum range of movement required in riding e.g. 45-90 degrees elbow flexion or full range.
4	Good	Muscle goes through full available range of movement and can tolerate strong resistance without breaking in the end position. When maximum resistance is applied there is a clear break.	Through the maximum range of movement required in riding e.g. 45-90 degrees elbow flexion or full range.
5	Normal	Normal strength-examiner cannot break the finish position at end of tested range (e.g., test elbow flexors by going to full flexion and trying to pull elbow into extension)	This is to be tested at the end of the required range for riding e.g. 90 degrees elbow flexion or end of range.

<sup>1</sup>References: Daniels, L., Worthingham, C. (1986). *Muscle Testing Technique of Manual Examination* (5th ed.). Philadelphia: WB Saunders Co. Hislop, H., Montgomery, J. (2007). *Daniels and Worthingham's Muscle testing. Techniques of Manual Examination* (8<sup>th</sup> Ed). St Louis: Saunders Elsevier. Tweedy, Sean M., Williams, Gavin and Bourke, John (2010) Selecting and modifying methods of Manual muscle testing for classification in Paralympic sport. *European Journal of Adapted Physical Activity*, *3* 2: 7-16.

13

#### 8.3 Joint Range Scale (ROM)<sup>2</sup>

Where joint Range of Movement (ROM) is the Impairment to be measured, the active functional range of movement for each joint is measured and scored using the scale below, as relevant to the range of movement required and described on the Classification assessment form.

Score	Description
0	No movement possible
1	Less than 25% movement possible
2	25% range of movement possible
3	50% range of movement possible
4	75% range of movement possible
5	100% range of movement possible

#### 8.4 Testing Position for Muscle Power and Joint Range of Movement (ROM)

Test Position	
NECK	Sitting on a chair with feet supported, hands resting on the lap
SHOULDER	Sitting on a chair with feet supported
ELBOW	Sitting on a chair with feet supported
WRIST	Sitting on a chair with feet supported
FINGERS	Sitting on a chair with feet supported
THUMB	Sitting on a chair with feet supported
TRUNK	Sitting on a chair with feet supported, not using the hands for support
PELVIS	Sitting on a plinth with feet unsupported, not using the hands for support
HIP	Supine/prone lying
KNEE	Prone lying/Sitting on a chair with feet unsupported
FOOT	Sitting on a chair with feet unsupported, hands resting on the lap

Note: For positions with feet unsupported – if able, the Athlete can sit astride the corner of the plinth with legs abducted

\_

<sup>&</sup>lt;sup>2</sup> Blomquist,B et al 1985: Classification System for Swimming

#### 8.5 Coordination Testing

Co-ordination scale 3

Score	Description
0	Activity impossible
1	Severe Impairment; only able to initiate activity without completion
2	Severe Impairment; able to accomplish the activity but in a very unorthodox way with significant unsteadiness and/or extraneous movements
3	Moderate Impairment; able to accomplish the activity, movements are slow, awkward and unsteady
4	Minimal Impairment; able to accomplish the activity with slightly less than normal control, speed and steadiness.
5	Normal performance

The Coordination scale is generally used for those with a neurological condition such as cerebral palsy or head injury, where muscle testing or joint range of motion does not give a true picture of the Impairment. Fine coordination is recorded as an overall score for each limb.

Athletes are dressed as they would be for training including boots as applicable. However, removing clothing/orthotics such as shoes/socks is acceptable if the examiner is unable to assess otherwise.

The Athlete is in the sitting position for each test - see specific Test for details. Feet should remain in front of the chair and slightly apart. The Athlete should not stabilise their body by hanging on to the chair. The upper limb not being tested should rest lightly on the lap.

The Classifier may demonstrate the movement for the Athlete. The Athlete is able to practice the movement for up to three trials. For testing they are asked to repeat the movements several times slowly and then as quickly as they are able.

-

<sup>&</sup>lt;sup>3</sup> Adapted from O'Sullivan, S; Schmitz, T; Fulk,G - Physical Rehabilitation Sixth Ed, 2014. F.A Davis Philadelphia

#### 8.6 Co-ordination Tests

**Neck -** Score using co-ordination scale.

If it is not possible to test coordination of the neck then test muscle power or range of movement.

Position – Athlete sitting on a chair with feet supported.

- Repetitive neck flexion/neck extension,
- Repetitive side flexion to left and then to right,
- Repetitive rotation left to right and right to left

#### Test 1 - Finger-Nose - Score entered under 'Test 1'

Position – Athlete sitting on a chair with feet supported.

The examiner holds their index finger out below Athlete's shoulder level. Athlete brings their finger to their own nose and then reaches to the examiner's finger. This is repeated for several trials with the examiner moving their finger several inches either direction forcing the Athlete to reach into several different areas in front of themselves. This test is for assessing coordination of shoulder movement.

#### Note:

For Athlete Evaluation for Para Dressage -all touches occur below shoulder level.

For Athlete Evaluation for Para Driving -all touches occur within full range of movement of the shoulder.

#### Test 2 - Repetitive pronation/supination - Score entered under 'Test 2'

Position – Athlete sitting on a chair with feet supported. Elbows flexed to 90 degrees and held slightly away from the side of the trunk (riding position). The Athlete rotates the unsupported forearm to palm down position (pronation) and then rotates to palm up position (supination). They are asked to repeat this motion several times slowly and then as fast as they are able. R hand to R thigh; L hand to L thigh.

# Test 3 - Wrist flexion/extension in mid pronation/supination - Score entered under 'Test 3'

Position – Athlete sitting on a chair with feet supported. The Athlete places their forearm in neutral position between pronation/supination (thumbs on top). The Athlete alternates between wrist flexion and extension. Fingers can be open or closed.

# Test 4 - Finger to Thumb - Score entered under 'Test 4'

Position – Athlete sitting on a chair with feet supported. Athlete touches their thumb and index digit, then thumb and long digit, thumb and ring digit, thumb and little digit, then repeats this sequence. It is acceptable to reverse the order (thumb to fourth, then third then first digits) prior to repeating the sequence, as long as the sequencing is consistent.

#### Trunk Coordination - Score using co-ordination scale

If unable to test trunk coordination then test power or range of movement.

Position – Athlete sitting feet unsupported, neutral pelvic tilt with arms lightly folded across the chest.

- Repetitive thoracic flexion/thoracic extension ask the Athlete to flex then extend the thoracic spine
- Repetitive thoracic side flexion- ask the Athlete to flex/bend the upper body sideways away from the mid-line
- Repetitive trunk rotation to the left, then to the right ask the Athlete to rotate to either direction.

#### Test 5- Pelvic rocking forward/backward - Score entered in the Pelvis section

Position- Athlete sits on the plinth with legs over the edge and feet unsupported, if possible with legs abducted across the corner of the plinth. The Athlete is asked to move the pelvis forward (anterior tilt) and backwards (posterior tilt) alternating quickly.

May need to test power or range of movement and take the lowest score.

When testing pelvic control test with hips at 45 degrees flexion perched on high seat, or in crook lying on bed. An Athlete with cerebral palsy with flexion Impairment may be able to pelvic tilt at 90 degrees hip flexion, but not when in the riding position.

# Test 6 - Placing heel on four spots /placing toes on four spots - Score entered under 'Test 6'

Position- Athlete sits on a fixed chair with feet on the floor.

The A4 size card (as above) is placed on the floor in front of one leg at a time, short end of sheet directly in front of foot. The card should be placed so the Athlete is able to reach each corner of the card first with their heel and then repositioned so they are able to reach with their toes. The Athlete is asked to touch the 4 spots in a sequential manner in either direction (clockwise then anticlockwise) as quickly as they can. First is touching with the heel, next is touching with the toes. Score is an average between the performances of the two motions. This tests hip coordination.

#### Knee internal/external rotation - Score entered under Coordination - Knee

Position - Athlete sits feet unsupported. The Athlete is asked to keep the knee still, heel in midline and then move the lower leg and forefoot (toes) in a horizontal side to side motion.

# Test 7 - Tapping of feet and circumduction of ankle - Score entered under 'Test 7'

Position- Athlete sits on a fixed chair with feet on the floor.

Athlete is asked to tap their foot (ankle dorsiflexion followed by dropping of the forefoot) as quickly as they can. For circumduction, the Athlete is asked to make a circle with the forefoot. Heel may be supported.

#### 9. DETERMINING THE RESULT

To determine the result of the Athlete Evaluation bench tests the Classification Panel should follow the steps below:

Review the Profile Graphics to determine which graphic/s match/es the Athlete. Athletes who use a wheelchair for some or all of their mobility are illustrated as Profiles 1 through 11; standing Athletes are illustrated as Profiles 12 through 32. Decide on the nearest illustration.  Step 4 Review the Profile Definitions to confirm the choice Refer Section 1  Step 5 Review the Maximum Score allowed for each Profile Refer Section 1  Step 6 Ensure the Baseline Scores achieved by the Athlete fit within the Maximum Score allowed for the chosen Profile  Step 7 The Profile number nearest to the Athlete's presenting dysfunction is determined and included onto the Athlete Evaluation form.  Where an Athlete's result is borderline between Profiles it may be necessary to:  Reassess the Athlete Conduct an Observation assessment to assist determining the Profile	Section	p Task	Step
Review the Profile Graphics to determine which graphic/s match/es the Athlete. Athletes who use a wheelchair for some or all of their mobility are illustrated as Profiles 1 through 11; standing Athletes are illustrated as Profiles 12 through 32. Decide on the nearest illustration.  Step 4 Review the Profile Definitions to confirm the choice Refer Section 1  Step 5 Review the Maximum Score allowed for each Profile Refer Section 1  Step 6 Ensure the Baseline Scores achieved by the Athlete fit within the Maximum Score allowed for the chosen Profile  Step 7 The Profile number nearest to the Athlete's presenting dysfunction is determined and included onto the Athlete Evaluation form.  Where an Athlete's result is borderline between Profiles it may be necessary to:  Reassess the Athlete Conduct an Observation assessment to assist determining the Profile		Athlete Evaluation Form, including when the body part is not	Step 1
match/es the Athlete. Athletes who use a wheelchair for some or all of their mobility are illustrated as Profiles 1 through 11; standing Athletes are illustrated as Profiles 12 through 32. Decide on the nearest illustration.  Step 4 Review the Profile Definitions to confirm the choice Refer Section 1  Step 5 Review the Maximum Score allowed for each Profile Refer Section 1  Step 6 Ensure the Baseline Scores achieved by the Athlete fit within the Maximum Score allowed for the chosen Profile  Step 7 The Profile number nearest to the Athlete's presenting dysfunction is determined and included onto the Athlete Evaluation form.  Where an Athlete's result is borderline between Profiles it may be necessary to:  Reassess the Athlete Conduct an Observation assessment to assist determining the Profile	ly parts. Refer Section 10	Determine the baseline score for each of the six body parts.	Step 2
Step 5 Review the Maximum Score allowed for each Profile Refer Section 1  Step 6 Ensure the Baseline Scores achieved by the Athlete fit within the Maximum Score allowed for the chosen Profile  Step 7 The Profile number nearest to the Athlete's presenting dysfunction is determined and included onto the Athlete Evaluation form.  Where an Athlete's result is borderline between Profiles it may be necessary to:  Reassess the Athlete  Conduct an Observation assessment to assist determining the Profile	chair for rofiles 1	match/es the Athlete. Athletes who use a wheelchair for some or all of their mobility are illustrated as Profiles 1 through 11; standing Athletes are illustrated as Profiles 12	Step 3
Step 6 Ensure the Baseline Scores achieved by the Athlete fit within the Maximum Score allowed for the chosen Profile  Step 7 The Profile number nearest to the Athlete's presenting dysfunction is determined and included onto the Athlete Evaluation form.  Where an Athlete's result is borderline between Profiles it may be necessary to:  Reassess the Athlete  Conduct an Observation assessment to assist determining the Profile	Refer Section 12	Review the Profile Definitions to confirm the choice	Step 4
the Maximum Score allowed for the chosen Profile  The Profile number nearest to the Athlete's presenting dysfunction is determined and included onto the Athlete Evaluation form.  Where an Athlete's result is borderline between Profiles it may be necessary to:  Reassess the Athlete  Conduct an Observation assessment to assist determining the Profile	Refer Section 13	Review the Maximum Score allowed for each Profile	Step 5
dysfunction is determined and included onto the Athlete Evaluation form.  Where an Athlete's result is borderline between Profiles it may be necessary to:  Reassess the Athlete  Conduct an Observation assessment to assist determining the Profile	ït within	•	Step 6
<ul> <li>may be necessary to:</li> <li>Reassess the Athlete</li> <li>Conduct an Observation assessment to assist determining the Profile</li> </ul>		dysfunction is determined and included onto the Athlete	Step 7
Conduct an Observation assessment to assist determining the Profile	rofiles it		
this results in the Profile being borderline between two Grades, allocate to the higher Grade and allocate Review status  Note: If the Profile allocated by the Classification Panel at an FEI Event is different from that allocated by National Classifiers, the FEI Classification result will supersede the National Classification result.	t. Where een two e Review  Panel at National	<ul> <li>Conduct an Observation assessment to assist determining the Profile</li> <li>Determine the Profile considered to be closest fit. Where this results in the Profile being borderline between two Grades, allocate to the higher Grade and allocate Review status</li> <li>Note: If the Profile allocated by the Classification Panel at an FEI Event is different from that allocated by National Classifiers, the FEI Classification result will supersede the</li> </ul>	

#### 10. DETERMINING BASE LINE SCORES

Base-line scores must only be determined by accredited Classifiers.

The base line scores are the sum of the scores for each upper and lower limb, trunk and neck. The base line scores for each profile are listed in Section 13. The scores are not recorded as a flat single dimensional number, but as a cluster of six numbers.

The maximum score for each arm is	80
The maximum score for the neck is	40
The maximum score for the trunk is	60
The maximum score for each leg is	70

Thus an unimpaired body can be represented in the following way:

```
Left arm - neck - right arm displayed as 80-40-80
Left leg - trunk - right leg displayed as 70-60-70
```

Maximum score allowed for each part of the body using 15% loss of Impairment:

```
Neck 34 Upper limbs 68
Trunk 50 Lower limbs 60
```

Example 1 - the score for an Athlete with severe left hemiplegia could be:

```
40-40-80 = Profile 14
40-40-70
```


Example 2 – the score for an Athlete with SCI and resulting paraplegia could be:


```
80-40-80 = Profile 11
25-60-25
```

In both Example 1 and Example 2, the cumulative score for all body parts added is 310. This score does not indicate that the Impairment is in different parts of the body. By calculating and recording the score for each part of the body, as above, the score has more meaning than a flat score of 310 out of 400.

The measurement of the Impairment is recorded at the clinical assessment.

#### 11.GRAPHICAL REPRESENTATION OF PROFILES





# **12.**PROFILE DESCRIPTION

Movement and mobility Impairment:

Sensory Impairment:

Profiles 1-32

Profiles 36-38

Intellectual Impairment:

Profile 39


Other Impairment:

Profile 42

Able Bodied:

Profile 48

# Key



Profile	Graphic	Grade	Description
			FOUR LIMBS REDUCED IN FUNCTION: Severe hypertonia, athetosis, ataxia or paresis present in all limbs and trunk.
1		ı	Results in little or no use in all four limbs and very poor trunk control.
	<b>A</b>		Needs a powered wheelchair or pushed in a manual wheelchair and personal assistant during daily life.
2	2	ı	FOUR LIMBS REDUCED IN FUNCTION: Severe hypertonia, athetosis, ataxia, paresis or Impairment present in all limbs and trunk. Poor control of the trunk and almost no use in four limbs but can bend the elbows. Triceps muscle is non-functional against resistance e.g. complete Spinal Cord Injury (SCI) at C5/6 level.
	O'		May push a manual wheelchair and may need a powered wheelchair for long distances.
3	3	1	FOUR LIMBS REDUCED IN FUNCTION: Moderate hypertonia or athetosis or ataxia present in all limbs and trunk; poor trunk control; very poor balance and inability to grip and release objects. Complete SCI at C6/7 level. The finger flexors, extensors and intrinsic muscles of the hand may be severely impaired Wheelchair user.
4	4	11	FOUR LIMBS REDUCED IN FUNCTION: Severe hypertonia, athetosis, ataxia, paresis or Impairment present in all limbs; absence of all limbs; almost no use in all four limbs but good trunk control. Mainly use their seat to control the movement of the Horse. May push a manual wheelchair in some way.

Profile	Graphic	Grade	Description
5		ı	FOUR LIMBS REDUCED IN FUNCTION: Moderate hypertonia, athetosis, ataxia or paresis present in all limbs and trunk; may have moderate trunk control with difficulty; either with arms or legs. Able to push a manual wheelchair with difficulty using arms or legs. Difficulty controlling the limbs in any activity.
6		11	FOUR LIMBS REDUCED IN FUNCTION: Moderate hypertonia, athetosis, ataxia or paresis in lower limbs and trunk with poor trunk control. May have a complete SCI at C8/T1 or moderate quadriplegia. Minimal Impairment in upper limbs with mildly weak hands or lack of control in the arms. Wheelchair user.
7		1	THREE LIMBS REDUCED IN FUNCTION: Severe hypertonia paresis, athetosis, ataxia, Impairment or limb deficiency of three limbs. Some difficulty with trunk control. One limb may be only minimally affected and has good function. Wheelchair user and may need to use a powered wheelchair.
8	B 8	111	FOUR LIMBS REDUCED IN FUNCTION: Moderate to severe hypertonia paresis, athetosis, ataxia, or Impairment of the lower limbs. Minimal hypertonia paresis, athetosis, ataxia, or Impairment in upper limbs with slightly weak hands or arms; the intrinsic muscles of hands may be severely affected. Good trunk control. Wheelchair user.
9		11	LOWER LIMBS AND TRUNK REDUCED IN FUNCTION: Severe hypertonia, paresis, athetosis, ataxia or Impairment present in both lower limbs and trunk. Upper trunk control present but no lower trunk control. Complete SCI at T1 – T5 level. Unable to perform a pelvic tilt. Unable to balance when sitting unsupported. Wheelchair user with good use in arms.

Profile	Graphic	Grade	Description
10		11	LOWER LIMBS REDUCED IN FUNCTION: Severe hypertonia, paresis, athetosis, ataxia or Impairment present in both lower limbs and moderate trunk involvement. Complete SCI at T5 – T10 Wheelchair user with good use of arms.  10a: Unable to move outside own base of support and total sensory loss below umbilicus. Significant difficulty with balance in sitting.
	<b>9</b>	111	<b>10b:</b> Able to move outside own base of support and able to perform a pelvic tilt with difficulty. Difficulty with trunk control and unable to use hips to assist trunk movement.
11		11	LOWER LIMBS REDUCED IN FUNCTION: Moderate hypertonia, paresis, athetosis, ataxia or Impairment present in both lower limbs and trunk or limb deficiency of both legs. Some control of the hips with good pelvic tilt. Good control of the trunk and arms. SCI at T10 – L3 level. Must have some power in hip flexors and extensors.  May stand or walk but uses a wheelchair for activities of daily living.  11a: Those with bilateral limb deficiency, no prosthesis and residual limb less than 6" (15cm) measured from the greater trochanter.  11b: Those defined in Profile 11 above including a residual limb longer than 6" (15cm)
12		ı	FOUR LIMBS REDUCED IN FUNCTION: Severe hypertonia, paresis, athetosis, ataxia or Impairment in all four limbs. Fair to moderate trunk control. Able to walk in an unorthodox way. Balance and co-ordination grossly affected.  12a: As above with trunk impaired.
		П	<b>12b:</b> As above with trunk less impaired than in 12a.
13		ı	THREE LIMBS REDUCED IN FUNCTION: Moderate to severe hypertonia, paresis, athetosis, ataxia or Impairment in three limbs. Trunk control may be fair to moderate. Balance in standing is severely affected. Able to walk but has poor use of three limbs and usually uses a stick in the good hand.

Profile	Graphic	Grade	Description
14	0	111	IPSILATERAL LIMBS REDUCED IN FUNCTION: Moderate to severe hypertonia, paresis, athetosis, ataxia, limb deficiency or Impairment in two limbs on the same side of the body. Trunk is involved. Able to walk and usually can balance unaided only on the non-impaired leg. The asymmetry of the body makes it difficult to balance on the Horse.
15	15)	IV	IPSILATERAL LIMBS REDUCED IN FUNCTION: Slight to moderate hypertonia, paresis, athetosis, ataxia, limb deficiency or Impairment in two limbs on the same side of the body. Trunk is involved. Able to walk. Balance on the Horse less affected than Profile 14.
16	(16)	v	ONE UPPER LIMB REDUCED IN FUNCTION: Severe paresis or hypertonia; total limb deficiency of one upper limb.
17		III IV	TWO LOWER LIMBS REDUCED IN FUNCTION: Severe hypertonia, paresis, athetosis, ataxia or Impairment in two lower limbs which act more like props. Able to walk with two crutches or sticks.  17a: No to poor functional pelvic movement. Unable to move out of base of support. Unable to control the Horse from the pelvis.  17b: Fair to normal pelvic movement and control. Able to control the Horse from the pelvis.
18	(18)	III	TWO LOWER LIMBS REDUCED IN FUNCTION: Severe hypertonia, paresis, athetosis, ataxia or Impairment in one lower limbs; moderate to slight Impairment of the other lower limb. Able to walk.  18a: No to poor functional pelvic movement or control. Unable to move out of base of support. Unable to control the Horse from the pelvis.  18b: Fair to normal pelvic movement and control. Able to control the Horse from the pelvis.

Profile	Graphic	Grade	Description
19	19	IV V	ONE LOWER LIMB REDUCED IN FUNCTION: Severe hypertonia, paresis, athetosis, ataxia or total limb deficiency of one lower limb which is used as a prop. Able to walk. No Impairment present in the other leg.  19a: An amputee who rides without a prosthesis. Residual limb 6 inches (15cm) or less.  19b: Paresis or an amputee who rides with a prosthesis. Residual limb longer than 6ins (15cm.) Measured from greater trochanter.
20	20)	v	TWO LOWER LIMBS REDUCED IN FUNCTION: Moderate to slight hypertonia, paresis, athetosis, ataxia or total limb deficiency of one lower limb or limb deficiency of part of both lower limbs (50% or less of the lower legs remaining).  Able to walk and run.
21		IV	TWO UPPER LIMBS REDUCED IN FUNCTION: Severe hypertonia, paresis, athetosis, ataxia, Impairment or total limb deficiency of both upper limbs.
22	22)	v	TWO UPPER LIMBS REDUCED IN FUNCTION: Moderate to slight hypertonia, paresis, athetosis, ataxia, Impairment of both arms or limb deficiency of part of both upper limbs -below the elbow. Able to grip reins with or without prosthesis.
23	23 0	v	ONE LOWER LIMB REDUCED IN FUNCTION: Moderate to slight hypertonia, paresis, athetosis, ataxia, Impairment of one lower limb or total deficiency of one lower limb below the knee with 50% or less of lower leg remaining. May run if fit enough. Amputation through the forefoot is not eligible.
24	24	v	ONE UPPER LIMB REDUCED IN FUNCTION: Moderate to slight hypertonia, paresis, athetosis, ataxia, Impairment of one upper limb or total deficiency of one upper limb below the elbow. Unable to grip rein with one hand.

Profile	Graphic	Grade	Description
25	(25)	IV	FOUR LIMBS AND TRUNK REDUCED IN STATURE: Short stature due to extreme shortness of limbs. To be eligible for Profile 25, an Athlete must be > 18 years of age. Maximum Height of 129cm
26	Q 25 P	IV V	FOUR LIMBS REDUCED IN FUNCTION: Moderate to slight hypertonia, paresis, athetosis, ataxia, Impairment in all four limbs. Balance and gross co-ordination affected.  26a: As above, trunk impaired.  26b: As above, trunk less impaired than for 26a.
27	27)	111	TWO CONTRALATERAL LIMBS REDUCED IN FUNCTION: Severe to moderate hypertonia, paresis, athetosis, ataxia, Impairment or total limb deficiency of opposite arm and leg.
28	28	IV	TWO LOWER LIMBS REDUCED IN FUNCTION: Severe to moderate hypertonia, paresis, Impairment in both hips and lower spine. Poor or no pelvic control. Difficulty walking and may have a waddling gait.
29	(29)	NE	TWO UPPER LIMBS REDUCED IN FUNCTION: Severe to moderate hypertonia, paresis, Impairment in both upper limbs-shoulders.
30	30	NE	TRUNK REDUCED IN FUNCTION: Severe to moderate hypertonia, paresis, Impairment in trunk or neck.

Profile	Graphic	Grade	Description		
	(31) (QV) (P)		FOUR LIMBS REDUCED IN FUNCTION: Severe hypertonia, paresis, athetosis, ataxia, Impairment in both lower limbs. Moderate to slight hypertonia, paresis, athetosis, ataxia or Impairment in both upper limbs. Trunk control fair to moderate. Able to walk.		
31		Ш	<b>31a:</b> Trunk involved, no or poor functional pelvic movement and unable to move out of base of support.		
		Ш	<b>31b</b> : Trunk less involved with fair to good pelvic control.		
32	32	111	FOUR LIMBS REDUCED IN FUNCTION - Severe hypertonia, paresis, athetosis, ataxia, Impairment in both upper limbs.  Slight hypertonia, paresis, athetosis, ataxia, Impairment in both		
			lower limbs.  Trunk impaired. Able to walk.		
33-35			AVAILABLE FOR THE INTRODUCTION OF NEW PROFILES		
36 (xx) (IV)		IV	TOTALLY BLIND. B1  Visual acuity is poorer than LogMAR 2.60  Totally blind. (B1) -no sight in both eyes		
37a	a Purtially Sighted		PARTIAL SIGHT. B2  Visual acuity ranges from LogMAR 1.50 to 2.60 inclusive; and/or  Visual field that is constricted to a diameter of less than 10 degrees  Partially sighted (B2) Athletes who have limited vision in both eyes either in:  • How far they can see (visual acuity).  • How wide they can see (visual field).		

Profile	Graphic	Grade	Description
37b	37b O Partially Sighted	field constricted to a diameter of less than 40 degr Partially sighted (B3) Athletes who have limited eyes either in	
38	38 Q Deaf	NE	DEAF-Defined as a hearing loss of at least 55dB pure tone average (PTA) in the better ear (three-tone pure tone average at 500, 1000 and 2000 Hertz, air conduction, ISO 1969 Standard)
39	39 Control of the Learning Impaired	NE	Intellectual Impairment. IQ less than 70 and Classified by INAS-FMH
40-41			AVAILABLE FOR THE INTRODUCTION OF NEW PROFILES

Profile	Graphic	Grade	Description	
42	42 0	NE	A health condition which cannot be measured through the Classification process and thereby Not Eligible.  Examples of such conditions include but is not limited to:  - wear and tear on joints due to advancing age  - general debilitating disease  - obesity  - osteochondritis  - Impairments of mental functions (including intellectual Impairment or retardation; conversion disorder; dementia; learning Impairments)  - skin diseases  - sleep related movement disorders  - hypermobility of joints  - low muscle tone or hypotonia  - epilepsy  - respiratory conditions  - fatigue as in fibromyalgia and myalgic encephalitis  - vertigo or dizziness  - internal organ dysfunction or absence  - IBSA Class B3, and B4  - cardiac/circulatory conditions  - hearing Impairment  - pain  - Reflex Sympathetic Dystrophy or Complex Regional Pain Syndrome	
43-47			AVAILABLE FOR THE INTRODUCTION OF NEW PROFILES	
48	(48)	NE	ABLE-BODIED PEOPLE.	

# 13.MAXIMUM SCORE ALLOWED FOR EACH PROFILE

PROFILE 1	35-40-35	PROFILE 13	80-40-50	PROFILE 24	80-40-68
GI	25-20-25	GI	45-50-45	GV	70-60-70
PROFILE 2	45-40-45	PROFILE 14	80-40-48	PROFILE 25	60-40-60
GI	20-30-20	GIII	70-40-40	GIII	50-60-50
PROFILE 3	55-40-55	PROFILE 15	80-40-68	PROFILE 26a	68-40-68
GI	20-30-20	GIV	70-50-60	GIV	60-50-60
PROFILE 4	45-40-45	PROFILE 16	80-40-30	PROFILE 26b	68-40-68
GII	30-50-30	GV	70-60-70	GV	60-60-60
PROFILE 5	45-40-45	PROFILE 17a	80-40-80	PROFILE 27	80-40-30
GI	40-50-40	GIII	40-40-40	GIII	30-60-70
PROFILE 6	68-40-68	PROFILE 17b	80-40-80	PROFILE 28	80-40-80
GII	20-30-20	GIV	40-60-40	GIV	50-50-50
PROFILE 7	80-40-45	PROFILE 18a	80-40-80	PROFILE 29	50-40-50
GI	45-50-45	GIII	60-40-15	NE	70-60-70
PROFILE 8	68-40-68	PROFILE 18b	80-40-80	PROFILE 30	80-40-80
GIII	45-60-45	GIV	60-60-30	NE	70-50-70
PROFILE 9	80-40-80	PROFILE 19a	80-40-80	PROFILE 31a	68-40-68
GII	20-30-20	GIV	70-60-15	GII	45-40-45
PROFILE 10a	80-40-80	PROFILE 19b	80-40-80	PROFILE 31b	68-40-68
GII	20-40-20	GV	70-60-30	GIII	45-50-45
PROFILE 10b	80-40-80	PROFILE 20	80-40-80	PROFILE 32	48-40-48
GIII	20-50-20	GV	60-60-60	GIII	60-50-60
PROFILE 11	80-40-80	PROFILE 21	30-40-30	PROFILE 36	N/A
GII(a)/GIII(b)	30-60-30	GIV	70-60-70	GIV	
PROFILE 12a	50-40-50	PROFILE 22	68-40-68	PROFILE 37A	N/A
GI	45-40-45	GV	70-60-70	GRADE V	
PROFILE 12b GII	50-40-50 45-50-45	PROFILE 23 GV	80-40-80 70-60-60		

#### **14.**DUAL PROFILES

In some instances Athletes may be allocated two profiles to more accurately describe their Impairment/s. For example, Profile 17b +36 is an Athlete who and has hypertonia in the lower limbs (P17b) and is totally blind (P36) and would compete in Grade III.

Below are listed recognised dual profiles available for allocation in deciding the Grade. Where the combination of profiles is not in the list below, Classifiers should contact the FEI Head Classifier and Classification Working Group who will discuss the assessment results to assist in determining the appropriate Grade.

#### Para Dressage dual profiles

PROFILES	GRADE	PROFILES	GRADE
11 + 24	Grade II	15 + 23	Grade IV
14 + 15	Grade II	16 + 23	Grade IV
14 + 24	Grade III	16 + 24	Grade IV
17b + 16	Grade III	16+ 30+24	Grade IV
17b + 22	Grade III	19b + 24	Grade IV
17b + 36	Grade III	20 + 24	Grade IV
18b + 14	Grade III	20 +22	Grade IV
18b + 24	Grade III	21+ 30	Grade IV
19b + 21	Grade III	22 + 23	Grade IV
		36 + 38	Grade IV
		37a + 38	Grade IV
		37A+ 26a + 39	Grade IV
		23 + 24	Grade V
Para Driving dual	orofiles		
23 + 24	Grade CD II		

#### 15. COMPENSATING AIDS FOR PARA EQUESTRIAN

The Athlete may use approved Compensating Aids including special equipment needed to ride or drive a Horse. The special equipment must not give them an advantage over other Athletes within the same Grade. All Athletes should be encouraged to ride or drive with as few aids as possible. A list has been compiled to maintain consistency in describing the aids for Para Dressage (16.1) and Para Driving (16.2)

**Standard compensating aids** are aids or equipment, other than approved saddlery or equipment as outlined in the FEI Dressage Rules, which may be used by the athletes across all functional profiles. Standard compensating Aids are allowed to be used by all Athletes and do not need to be noted on the FEI Masterlist for Para Dressage, they must be noted on the FEI Masterlist for Para Driving. The list of standard compensating aids are:

Para Dressage Standard Compensating Aids				
Salute with Head Only (SWHO)	Enclosed Stirrups			
Sitting or rising Trot	Magnetic Stirrups			
Gloves (optional)	1 Whip			
Spurs (optional)	Breast plate and/or neck strap			
Saddle – any type	Split rein on double bridle			
Soft Hand Hold	Elastic inserts in reins			
Deep Saddle	Safety vest (including inflatable)			
Elastic Bands on stirrups				
Para Driving Standar	d Compensating Aids			
Lap best held by groom	Motor Vehicle to walk the course (MVWC)			
Lap belt with quick release mechanism	Salute with Head only (SWHO)			
Handbrake				

**Profile-specific compensating aids** are aids or equipment, other than approved saddlery, which may be used by nominated profiles and must be noted on the FEI Masterlist following Classification evaluation. These are listed in the summary table of Appendix IV and Appendix V.

**Non-Standard compensating aids** are aids, other than those above, required by an individual athlete and not described specifically in the Rules. The aid is prescribed specifically for the athlete to enable them to ride the horse without providing an advantage over other athletes within the same Profile or Grade. These aids may include modifications to a Standard or Profile-specific Compensating aid, or a piece of non-Standard equipment custom-made for the athlete.

The Classifiers must only record the Profile-specific Compensating Aids on the Athlete Evaluation Form, to then be recorded on the FEI Classification Master List. If an Athlete requires a Non-Standard compensating aid it is necessary for the Athlete to apply through their NF to the FEI for approval of such an aid prior to use at an Event. Once approved, the aid will be added to the FEI Classification Master List. Classifiers must not approve Non-Standard Compensating Aids.

It is essential that Classifiers refer to the current FEI Para Dressage Rules and FEI Para Driving Rules available on the FEI website regarding the use of Compensating Aids.

# 15.1 Guide to Profile-specific Compensating Aids used in Para Dressage by Profile

Profile	Grade	Profile-specific Compensating Aids – Para Dressage
1 –6	I or II	Voice, raised pommel and /or cantle, seat saver, hard hand hold, 2 whips, loop reins, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups; may ride with one hand only.
7	1	As above and connecting rein bar; may ride with one hand only.
8	Ш	Voice, seat saver, hard hand hold, 2 whips, loop reins, strap from stirrup leather to girth, strap from stirrup to girth, one or no stirrups.
9	II	Voice, raised pommel and/or cantle, seat saver, hard hand hold, 2 whips, loop reins, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups.
10a/b	11 / 111	Voice, raised pommel and or cantle, seat saver, hard hand hold, 2 whips, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups.
11a/b	11 /111	Voice, seat saver, hard hand hold, 2 whips, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups.
12a/b	1 /11	Voice, seat saver, hard hand hold, 2 whips, loop reins, connecting rein bar, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups.
13	I	Voice, raised pommel and or cantle, seat saver, hard hand hold, 2 whips, loop reins, connecting rein bar, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups; may ride with one hand only.
14	Ш	Voice, seat saver, hard hand hold, loop rein, connecting rein bar, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrup; may ride with one hand only.
15	IV	Seat saver, loop rein, connecting rein bar, strap from stirrup leather to girth, strap from stirrup iron to girth.
16	V	Connecting rein bar; may ride with one hand only.
17a	Ш	Voice, seat saver, 2 whips, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups.
17b	IV	Seat saver, 2 whips, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups.
18a	Ш	Voice, seat saver, 2 whips, strap from stirrup leather to girth, strap from stirrup to girth, no stirrups.
18b	IV	Seat saver, 2 whips, strap from stirrup leather to girth, no stirrups.
19a	IV	Seat saver, strap from stirrup leather to girth, one or no stirrup.
19b	V	Seat saver, strap from stirrup leather to girth.
20	V	2 whips.

Profile	Grade	Profile-specific Compensating Aids – Para Dressage
21	IV	Loop reins; reins through ring attached to the saddle, foot reins.
22	V	Loop reins; if arms are very short allowed reins through ring attached to the saddle.
23	V	-
24	V	Loop rein; may ride with one hand only, connecting rein bar.
25	IV	2 whips, loop reins.
26a	IV	2 whips, loop reins, strap stirrup leather to girth.
26b	V	2 whips, loop reins.
27	Ш	Voice, seat saver, hard hand hold, connecting rein bar, one or no stirrups; may ride with one hand only.
28	IV	Seat saver, 2 whips.
31a/b	11/111	Voice, seat saver, hard hand hold, 2 whips, loop reins, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups.
32	Ш	Voice, seat saver, hard hand hold, 2 whips, loop reins, strap from stirrup leather to girth, strap from stirrup iron to girth, no stirrups.
36 (B1)	IV	Up to 13 callers at letters (one allowed inside arena). All Visually Impaired Athletes must wear an arm band to indicate their Impairment type to others for safety reasons.
37a (B2)	V	Up to 13 callers at letters (one allowed inside arena).  All Visually Impaired Athletes must wear an arm band to indicate their Impairment type to others for safety reasons.
38	N/A	Sign interpreter
39	N/A	Commander allowed with documentation to substantiate an identified intellectual Impairment.

Note: When an Athlete is unable to use an impaired arm, it may be strapped to the body, or worn in a sling.

Classifiers must refer to the current FEI Para Dressage or Para Driving Rules in regards to the use of:

- Commanders
- Radio communication
- Sign interpreters for Athletes with hearing Impairment
- Whips
- Spurs
- Saddles
- Velcro

# 15.2 Guide to Profile-specific Compensating Aids used in Para Driving by Profile

Profile	Grade	Profile-specific Compensating Aids – Para Driving
1-6	1	4 point belt held by groom or with quick release; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop
7	l	4 point belt held by groom or with quick release; connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop
8	II	4 point belt held by groom or with quick release; looped or knotted reins; strap on whip; no or adapted glove/s; brake operated by groom; strap on feet or foot trough; groom holds finger loop
9	I	4 point belt held by groom or with quick release; brake operated by groom; strap on feet or foot trough
10a	I	4 point belt held by groom or with quick release; brake operated by groom; strap on feet or foot trough
10b	П	Brake operated by groom; strap on feet or foot trough
11a/b	П	Brake operated by groom; strap on feet or foot trough
12a/b	I	4 point belt held by groom or with quick release; connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop
13	I	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop
14	I	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop
15	II	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop
16	П	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; groom holds finger loop
17a/b	П	Brake operated by groom; strap on feet or foot trough
18a/b	П	Brake operated by groom; strap on feet or foot trough
19a/b	П	Brake operated by groom; strap on feet or foot trough

21	1	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; groom holds finger loop
22	П	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; groom holds finger loop
24	П	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; groom holds finger loop
25	П	Looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom
26a/b	1/11	Looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough
27	II	Connecting rein bar; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop, looped or knotted reins
28	П	Brake operated by groom
31a/b	I	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop
32	I	Connecting rein bar; looped or knotted reins; strap on whip; no or adapted glove/s; whip held / used by groom; brake operated by groom; strap on feet or foot trough; groom holds finger loop

# **16.**APPENDICES

Appendix I: FEI Classification Card – Para Dressage

Appendix II: FEI Classification Card – Para Driving

Appendix III: Template letter to Psychologist regarding use of a Commander

Appendix IV: Compensating Aids Table – Para Dressage

Appendix V: Compensating Aids Table – Para Driving

Appendix VI: FEI Classifier Code of Conduct

NOTES REGARDING EVALUATION AN (include date and name of Classifier		Version Jan 2019	PARA - EQUESTRIAN DRESSAGE ATHLETE EVALUATION FOR CLASSIFICATION										
			Use dark ink if w riting and print clearly. For FEI Classification must be completed in Eng										
			MR/MRS/MISS/MS		FAN	/ILY NAME:							
			GIVEN NAMES:		•								
			D.O.B (dd/mm/yy):										
			HOME ADDRESS:										
								Zip/Postcode					
			NATION:				FEI Member No						
			TELEPHONE:				FEI Classification	on					
			EMAIL:				National Classit	fication					
					CLASSIFI	CATION F	RESULT						
				Profile 1	Profile 2			GRADE					
				<u> </u>	Grade S	tatus Allo	cated						
			Status	Reviev	☐ Review with Fixed Date			☐ Conf	irmed				
			Review	1. FI	uctuating/dete	eriorating co	ndition	2.Rece	ent injury				
			reason	3. E	Borderline resu	ult	Review date:						
			OA by FEI Class	sification Par	el at this competition			□ Y □ N	I □N/A				
STANDARD and APPROVED NOI	N STANDARD COMPENSATING AIDS		OA by FEI Classification Panel required at next competition						N 🗌 N/A				
			Athlete Signed C		_								
			If Grade and	or Profile I		ged follow s result b		aluation pl	ease note				
				Duefile 4				ODADE					
				Profile 1	Profile 2			GRADE					
			Date (dd/mm/yy		1	Location							
			Chief Classifier	:									
			Classifier 2 :										

NAME:								Active R.O.M for	POWE	R 0-5	RANGE	E 0-5	CO-O	RD
DIAGNOSIS: Refer to								reference	L	R	L	R	L	R
Medical Diagnostic Form								0-20 FLEXION						
for details							NEOK	0-20 EXTENSION						
WHEELCHAIR:	No Yes	Power		Manual			NECK	0-20 SIDE FLEXION						
NEEDS EXTERNAL SUPPORT	WHEN STANDING	No		Yes				0-90 ROTATION						
SPECIFY- CRUTCHES, STICK	(S AIDS							0-10 RETRACTION					TEST	1 (*7)
								0-60 FLEXION						1
ADDITIONAL HEALTH IMPAI		-1-				_	SHOULDER	0-10 ABDUCTION					l	
INTELLECTUAL IMPAIRMENT	No Yes	Commen	t:					0-45 EXT.ROTATION						
EPILEPSY	No  Yes	1						0-30 INT ROTATION					l	
HEARING IMPAIRMENT	No Yes L	]						45-90 FLEXION					l	
OTHER RELEVANT INFORMATION	N:						ELBOW	90-45 EXTENSION						
								0-10 PRONATION					TEST	2 (*2)
								0-10 SUPINATION						į
								0-30 FLEXION					TEST	3 (*3)
							WRIST	0-50 EXTENSION						1
VISION IMPAIRMENT AS ASSESSED BY VI	CLASS B1 TOTALLY	BLIND	☐ P36	Date				0-10 RADIAL DEV						
CLASSIFIER	CLASS B2 PARTIALI	Y BLIND	☐ P37a	classified				60-90 FLEXION					TEST	4 (*4)
STATIC BALANCE	SIT STAND	Commen	t:				FINGERS	90-60 EXTENSION						
NORMAL		7						INTRINSICS						
SLIGHT IMPAIRMENT							THUMB	0-60 OPPOSITION					l	
MODERATE IMPAIRMENT								0-30 THOR. FLEXION						
NO BALANCE								0-30 THOR. EXTENS						
							TRUNK	0-20 SIDE FLEXION						
DOMINANT HAND	LEFT RIGHT							0-45 ROTATION						
								0-5 POST TILT					TEST	5 (*2)
Coordination Te	ests (1-7)		Calcula	ted Scor	es		PELVIS	0-5 ANT TILT						
TEST 1: FINGER-NOSE BELC			Left		Right			0-45 FLEXION					TEST	6 (*8)
TEST 2: REPETITIVE PRONA	TION/SUPIN.	Maximum	80	40	80			-45-0 EXTENSION						
TEST 3: WRIST FLEX/EXT IN	MID PRON/SUP.	Score	70	60	70			0-40 ABDUCTION						
TEST 4: FINGER - THUMB		FINAL	0.0	####	0.0		HIP	ADDUCTION						
TEST 5: PELVIS ROCKING FO	DRWARD/BACK	SCORE	####		#####			0-15 EXT. ROTATION						
TEST 6: PLACING HEEL ON F	FOUR SPOTS							0-15 INT. ROTATION					l	
PLACING TOES ON	FOUR SPOTS							0-45 FLEXION						
TEST 7: TAPPING FEET / CIR	CUMDUCTION							45-0 EXTENSION						
Notes (continue over page	if needed):						KNEE	0-15 INT. ROTATION						
, , , , , , , , , , , , , , , , , , , ,	,							0-25 EXT. ROTATION						
								0-20 DORSIFLEX					TEST	7 (*4)
								0-20 P.FLEX						
							FOOT	0-15 INT.ROTATION						
						+		0-15 EXT. ROTATION						
								5 15 EX						

NOTES REGARDING EVALUATION AND OBSERV (include date and name of Classifier entering to	/ATION notes)	Jan 2019	PARA DRIVING  ATHLETE EVALUATION FOR CLASSIFICATION										
			Use dark ink if writ	ing and print o	clearly. For FEI	Classifica	tion must be	completed i	in Eng <mark>l</mark> ish.				
			MR/MRS/MISS/MS		FAM	ILY NAME:							
			GIVEN NAMES:		X7	1.0							
		- 3	D.O.B (dd/mm/yy):										
			HOME ADDRESS:	162				2	ki .				
								Zip/Postcode					
			NATION:			5-11	FEI Member No.						
			TELEPHONE:			59	FEI Classificatio	n					
			EMAIL:				National Classif	ication					
					CLASSIFICATION RESULT		RESULT		2				
				Profile 1	Profile 2			GRADE					
					Grade St	tatus Allo	cated						
			Status	Revie	w with Fixe	d Date	Review	☐ Conf	irmed				
			Review	1. F	luctuating/dete	riorating co	ndition	2.Rece	ent injury				
			reason	☐ 3. E	Borderline resu	lt	Review date:						
			OA by FEI Class	ification Pa	□ Y □ N	I □N/A							
STANDARD and APPROVED NON STANDA	ARD COMPENSATING AIDS		□ Y □ N	N N/A									
			Athlete Signed C					and the second					
			If Grade and/	or Profile		ed follov s result b		luation pl	ease note				
				Profile 1	Profile 2			GRADE					
			Date (dd/mm/yy)			Location:							
			Chief Classifier										
		Classifier 2 :											

Medical Diagnostic Form	NAME:	7.11	t	- iz	10				Active R.O.M for	POVE	ER 0-5	BANG	GE 0-5	CO-	ORD
Neck	DIAGNOSIS: Refer to								reference	L	R	Ľ	R	L	R
WHEELCHAIR:									0-50 FLEXION						
WHEELCHARE	for details	12.17							0-40 EXTENSION						
Descript Cruit Ches, STICKS, AIDS	WHEELCHAIR:	No 🗆	Yes [	Power		Manual		NECK	0-20 SIDE FLEXION						
ADDITIONAL BEALTH IMPAIRMENT SUDIAGNOSIS  NOTELLECTUAL MPARMENT NO	NEEDS EXTERNAL SUPPORT	WHEN STA	NDING	No		Yes			0-80 ROTATION					i i	
ADDITIONAL HEALTH IMPAIRMENT SIDIAGNOSIS INTELECTUAL IMPAIRMENT NO Yes Cemment:  FELEPSY HEARING IMPAIRMENT NO Yes CHELEYANT INFORMATION (including any vision concerns):  FELEPSY HEARING IMPAIRMENT NO WES CEMBERS OF SET STAND OTHER RELEVANT INFORMATION (including any vision concerns):  FELEPSY  FELEPSY  FELEVANT INFORMATION (including any vision concerns):  FIREST 2 (22)  DOB SUPRIATION (including any vision concerns):  FIREST 4 (4)  FIREST 4 (4)  FIREST 4 (4)  FIREST 4 (4)  DOB FLEXION (including any vision concerns):  FIREST 4 (4)  FIRES	SDECIEV COUTCHES STICK	edia 23							0-40 EXTENSION		J.			TEST	1 (*7)
NOTE   Comment   No   Yes   Comment   O.30   NOTE   COMMENT   No   Yes   Comment   O.30   NOTE   COMMENT   No   O.30   NOTE   COMMENT   NOTE   NOTE   COMMENT   NOTE   NOTE   COMMENT   NOTE   COM	SPECII 1- CKOTCHES, STICE	is, Albs					-		0-160 FLEXION						
PRILEPRY   No	ADDITIONAL HEALTH IMPAI	RMENTS/DI		45				SHOULDER	0-90 ABDUCTION						
HEARING IMPARMENT   No	INTELLECTUAL IMPAIRMENT	No 🗌			t:				0-30 EXT.ROTATION	5 .	J.				
STATIC BALANCE	EPILEPSY	No 🗌	Yes					in a	0-30 INT ROTATION	S 8	20		8 9		
Comment   Comm	HEARING IMPAIRMENT	No 🗌	Yes						0-140 FLEXION	S S	S		2 5		
Downward	OTHER RELEVANT INFORM	IATION (inc	luding any	vision cor	icerns):			ELBOY	140-0 EXTENSION	2			3 3		
VFIIST   0-80 FLEXION								_ ELBOY	0-30 PRONATION	E 8	5.5		63	TEST	2 (*2)
STATIC BALANCE SIT STAND Comment:  STATIC BALANCE SIT STAND   O-FULL EXEXON									0-30 SUPINATION						(1)
STATIC BALANCE   SIT   STAND   Comment:   FINGERS   O-30 ULNAR DEV   O-FULL FLEXION   TEST 4 (*4)									0-80 FLEXION					TEST	3 (*3)
STATIC BALANCE	1							VRIST	0-40 EXTENSION						
STATIC BALANCE	1								0-30 ULNAR DEV						
STATIC BALANCE									0-FULL FLEXION					TEST	4 (*4)
SLIGHT IMPAIRMENT	STATIC BALANCE	SIT	STAND	Commen	t:			FINGERS	0-FULL EXTENSION						
SLIGHT IMPAIRMENT	NORMAL			- 11 Server (2000)				E-	INTRINSICS				8 - 8	34	
NO BALANCE		H	THE					THUMB	0-60 OPPOSITION	E 88	- 1		a 6		
DOMINANT HAND									0-30 THOR, FLEXION				0.00		8
DOMINANT HAND  LEFT RIGHT  Coordination Tests (1-7)  Calculated Scores  TEST 1: FINGER-NOSE FULL ROM SHOULDER TEST 2: REPETITIVE PRONATION/SUPIN.  TEST 3: WRIST FLEXEXT IN MID PRON/SUP.  TEST 4: FINGER - THUMB  FINAL  O.0 ### 0.0  #### #### #####  TEST 6: PLACING FORWARD/BACK TEST 7: TAPPING FEET / CIRCUMDUCTION  Notes (continue over page if needed):  TRUNK  0.40 SIDE FLEXION 0.50 ROTATION 0.50 POST TILT 0.5 ANT TILT 0.5 ANT TILT 0.5 ANT TILT 0.40 FLEXION 0.40 ABDUCTION 0.40 ABDUCTION 0.40 ABDUCTION 0.45 EXT. ROTATION 0.45 INT. ROTATION 0.45 INT. ROTATION 0.45 INT. ROTATION 0.45 INT. ROTATION 0.46 INT. ROTATION 0.47 EXTENSION 0.48 INT. ROTATION 0.49 FLEXION 0.49 FLEXION 0.40 PFLEX 0.40 PFLEX 0.40 PFLEX 0.40 PFLEX 0.40 PFLEX 0.40 INT.ROTATION								100	0-30 THOR, EXTENS					-	
DOMINANT HAND  LEFT RIGHT  COORDINATION  COO			10000	3				TRUNK	0-40 SIDE FLEXION					Ŷ	
Coordination Tests (1-7) Calculated Scores  TEST 1: FINGER-NOSE FULL ROM SHOULDER TEST 2: REPETITIVE PRONATION/SUPIN. TEST 3: WRIST FLEXEXT IN MID PRON/SUP. TEST 4: FINGER - THUMB TEST 5: PELVIS ROCKING FORWARD/BACK TEST 6: PLACING TOES ON FOUR SPOTS PLACING TOES ON FOUR SPOTS TEST 7: TAPPING FEET / CIRCUMDUCTION Notes (continue over page if needed):  PELVIS  0-5 POST TILT 0-5 ANT TILT 0-6 AN	DOMINANT HAND	LEFT	RIGHT						0-60 BOTATION					i	
Coordination Tests (1-7)  Calculated Scores  TEST 1: FINGER-NOSE FULL ROM SHOULDER  Left Right TEST 2: REPETITIVE PRONATION/SUPIN.  Moximum 80 40 80 Score 70 60 70 TEST 4: FINGER - THUMB FINAL 0.0 #### 0.0  TEST 5: PELVIS ROCKING FORWARD/BACK TEST 6: PLACING HEEL ON FOUR SPOTS PLACING TOES ON FOUR SPOTS PLACING TOES ON FOUR SPOTS TEST 7: TAPPING FEET / CIRCUMDUCTION  Notes (continue over page if needed):  Notes (continue over page if needed):  Calculated Scores  Left Right Right Right Rottin Rott Till EXTENSION 0-40 ABDUCTION 0-40 ABDUCTION 0-40 ABDUCTION 0-45 EXT. ROTATION 0-45 EXT. ROTATION 0-15 INT. ROTATION 0-15 INT. ROTATION 0-15 INT. ROTATION 0-15 INT. ROTATION 0-20 DORSIFLEX 0-40 P.FLEX 0-16 INT.ROTATION		(CO) (C) (C)												TEST	5 (*2)
TEST 1: FINGER-NOSE FULL ROM SHOULDER	Coordination Te	ests (1.7)		Т	Calcula	ted Scor	es	PELVIS							-1-/
TEST 2: REPETITIVE PRONATION/SUPIN.   Maximum   80   40   80   80   TEST 3: WRIST FLEX/EXT IN MID PRON/SUP.   FINAL   0.0   ###   0.0   TEST 4: FINGER - THUMB   FINAL   0.0   ####   ####   #####   TEST 6: PELVIS ROCKING FORWARD/BACK   TEST 6: PLACING HEEL ON FOUR SPOTS   PLACING TOES ON FOUR SPOTS   TEST 7: TAPPING FEET / CIRCUMDUCTION   Notes (continue over page if needed):   TEST 7: TAPPING FEET / CIRCUMDUCTION   TEST 7: TAPPING FEET / CIR			II DER			100 000								TEST	6 (*8)
TEST 3: WRIST FLEX/EXT IN MID PRON/SUP.   Score   70   60   70     TEST 4: FINGER - THUMB   FINAL   SCORE   ####   ####   ####     0.0     TEST 5: PELVIS ROCKING FORWARD/BACK   SCORE   ####   #####   #####				NA.		40		1		S 8	10		3 8		- \ -/
TEST 4: FINGER - THUMB TEST 5: PELVIS ROCKING FORWARD/BACK SCORE #### #######  PLACING HEEL ON FOUR SPOTS PLACING TOES ON FOUR SPOTS TEST 7: TAPPING FEET / CIRCUMDUCTION Notes (continue over page if needed):  Notes (continue over page if needed):  FINAL SCORE #### ###############################			Access to the			5000	000000	<del>                                      </del>		2 7				- 35	:30
TEST 5: PELVIS ROCKING FORWARD/BACK TEST 6: PLACING HEEL ON FOUR SPOTS PLACING TOES ON FOUR SPOTS TEST 7: TAPPING FEET / CIRCUMDUCTION Notes (continue over page if needed):  **Notes**  **Notes**  **Test**  **If ### #### #####				FINAL				HIP		2 - 7			A 5		
TEST 6: PLACING HEEL ON FOUR SPOTS   0-45 INT. ROTATION   0-90 FLEXION   0-90 F		DRWARD/BA	CK												
PLACING TOES ON FOUR SPOTS			- Marian	100000000000000000000000000000000000000	mmm	пппп	mmmmm	+	and the second second						
Notes (continue over page if needed):   EXTENSION													1		
Notes (continue over page if needed):    0-15 INT. ROTATION						1	0.007(1)[70(0)[10]								
0-15 EXT. ROTATION	Notes (continue over page	if needed)						KNEE	0-15 INT. ROTATION					35	28
FOOT    0-20 DORSIFLEX								10	0-15 EXT, ROTATION				3 2	- 8	×
FOOT 0-40 P.FLEX 0-15 INT.ROTATION										8 8	10		es l	TEST	7 (*4)
FOOT 0-15 INT.ROTATION								The recognition of	prosession of the property of the	0					7)
								FOOT		2 7	-				-
I I I I I I I I I I I I I I I I I I I								+	0-15 EXT. ROTATION						

### **Template letter to Psychologist**

Dear Psychologist,	
Regarding: Use of a Commander by an Athlet	e for Para Equestrian Competition
Please find herewith	[insert name of Athlete] who
competes in Para Dressage Events at an inter	rnational level.

In order to compete in Dressage, the Athlete is required to ride a Horse and complete a Dressage test of between 4 and 7 minutes in length depending on the level at which they compete. There are different Grades (I, II, III, IV, V) for Athletes reflecting their level of Impairment and physical status. Grade I being Athletes with the greatest Impairment and Grade IV Athletes with the least Impairment.

A Dressage test comprises a sequence of between 8 to 19 "movements" (depending on the Grade at which the Athlete competes) which are to be ridden at designated points around a Dressage arena (20mtrs x 40mtrs or 20mtrs x 60mtrs). The movements are carried out at a walk and/or trot and/or canter and involve moving from one pace to another while completing the movements. Below is an <u>example</u> of a Grade 1 Novice Dressage test and a Grade III Novice Dressage test. These provide examples of what an Athlete may be required to learn prior to competing and then remember for the period they are competing in front of the judges.

G	Grade 1 Novice Test									
1. A	Enter in medium walk Halt, immobility, salute.									
	Proceed in medium walk									
2. C	Track left									
HXF	Free walk									
FA	Medium walk									
3. A	Down centre line									
X	10m circle right									
4. X	10m circle left									
<b>5</b> . XC	Down centre line									
C C	Track right									

	Grade III Novice Test
1. A	Enter in working trot
X	Halt, immobility, salute.
	Proceed in collected trot
2. C	Track right
В	Half circle right 10m to X
	Return diagonally to the track at M
3. MCHE	Working trot
Е	Half circle left 10m to X
	Return diagonally to the track at H
4. CX	Half 20m circle right
XA	Half 20m circle left
5. A	Working trot
FXH	Change rein in medium trot
HC	Working trot

[insert name of Athlete] has been asked
to provide you, for your information, with a sample copy of a full Dressage test they would be required to learn specific to their grade.
The Athlete has ample opportunity (possibly weeks or months) to learn and practice the movements required in the Dressage test prior to competing. During an Event, perhaps over two or more days, the Athlete may be required to ride up to 4 (3 set tests and 1 optional Freestyle Test) Dressage tests. The nominated Dressage tests are used consistently at each level with the Athlete only competing at one level. The only exception to this is if the Athlete competes in a Freestyle Competition in addition to the set tests. In this case they have designed their own sequence of movements and then ride them to their chosen music.
[insert name of Athlete] is Classified as Grade and has requested the use of a <i>Commander</i> - a person to call out the movements in sequence to the Athlete as they compete.
In this instance this is an exception to the Para Equestrian Rules. All Athletes (except those with an identified intellectual disability or acquired brain injury) are expected to complete their Dressage test from memory under the same conditions and without a commander.
To ensure fairness and equity to all who are competing, those Athletes requesting an exemption to the rule pertaining to commanders are required to produce evidence from a psychologist of a level of permanent memory Impairment that would impact on their ability to remember the sequence of movements required for the duration of the Dressage test. Whilst the Dressage test is completed in a competitive environment, all Athletes within the Competition complete the test under the same conditions.
It is requested that, where possible, a <b>Wechsler Memory Scale (WMS-IV)</b> test (or similar) is conducted and a brief report be provided to substantiate this Athletes request for a commander. This confidential report will be held by me as documentation supporting the Athlete's request.
Your time in assisting this Athlete is greatly appreciated
Yours thankfully
FEI Para Equestrian Classifier
Please forward a copy of your report to:

	COMPENSATING AIDS FOR PARA DRESSAGE																		
	Profile-Specific Compensating Aids																		
Profile	Grade	Voice	Raised pommel or cantle	Seat saver	Hard (firm) hand hold	2 whips	Foot reins	Loop reins	Connecting rein bar	Reins through ring on saddle	Strap, stirrup leather to girth	Strap, stirrup iron to girth	No stirrups	Electronic communicat ion device	Use of sign language	Callers	Beacon beeper	Commander	Standard Compensating Aids *Not to be listed on the FEI Classification Master List Salute with head only
1-6	1	•	•	•	•	•		•			•	•	•					supporting medical documentation	Sitting or rising trot
7	I	•	•	•	•	•		•	•		•	•	•					ıtat	Gloves Spurs
8	111			•	•	•		•			•	•	•					ner	Saddle-any type
9	П	•	•		•	•		•			•	•	•					ocur	Soft hand hold Deep saddle
10a/b	11/111		•								•	•						pp	Elastic bands on stirrups
	11/111										•	•						dica	Enclosed stirrups
11a/b	1																	me	Magnetic stirrups 1 whip
12a/b	1/11	•		·	•	•		•	•		•	•	•					ing	Breast plate and/or neck
13	I	•	٠	•	•	٠		•	•		•	•	•					orti	strap Split rein on double bridle
14	Ш	٠		·	•			•	•		•	•	•					ddn	Elastic inserts in reins
15	IV			·				•	•		•	•						s pi	Safety vest (including
16	V								٠									and	inflatable)
<u>17a</u> 17b	III IV	•		<u> </u>		•					•	•	•					process	
18a	III	•		•		•					•	•	•					roc	
18b	IV			•		·					•		•						Non-Standard
19a	IV			<u> </u>							•		٠					atic	Compensating Aids. These are aids or
19b 20	V			·							•							ifica	equipment not described
21	IV					·		•		•								SSE	in the table on the left.
22	V							•		•								Cla	The need for these aids
23	V																	he	must be supported
24	V							•	•									h t	through the Classification process and the aid
25	IV					•		•										gno	approved by the FEI
26a	IV					•		•			•							hrc	Compensating Aids Panel.
26b	V					·		•										d ti	See application form on
27 28	II IV	٠		<u> </u>	•				•				•					ine	FEI website.
31a/b/32	11/111			<del>                                     </del>		•												Ľ.	*Must be listed on the FEI
36/37a	IV			Ė							•	•	÷			•	•	determined through the Classification	Classification Master List once approved.
38	N/A													•	•				once approved.
39	N/A																	As	
On Maste		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	

					СОМ	PENSATING A	IDS FOR PA	RA DRIVING			
		Standard Compensating Aids									
Profile	Driving Grade	4-point belt held by groom or with quick release	Connecting rein bar	Looped or knotted reins	Strap on whip	No or adapted glove/s	Whip held / used by groom	Brake operated by groom	Strap on feet or foot trough	Groom holds finger loop	*To be listed on the FEI Classification Master List  Lap belt held by groom  Lap belt attached with quick release
1	1	•		•	•	•	•	•	•	•	mechanism
2	I	•		•	•	•	•	•	•	•	Handbrake
3	1	•		•	•	•	•	•	•	•	Motor vehicle to walk the course (MVWC)
4	I	•		•	•	•	•	•	•	•	Salute with head only (SWHO)
5	I	•		•	•	•	•	•	•	•	Salate with head only (SWHO)
6	1	•		•	•	•	•	•	•	•	
7	I	•	•	•	•	•	•	•	•	•	
8	П	•		•	•	•		•	•	•	
9	1	•						•	•		
10a	I	•						•	•		
10b	П							•	•		
11a/b	П							•	•		
12a/b	I	•	•	•	•	•	•	•	•	•	
13	I		•	•	•	•	•	•	•	•	
14	I		•	•	•	•	•	•	•	•	
15	П		•	•	•	•	•	•	•	•	Non Standard Commonsting Aids
16	П		•	•	•	•	•			•	Non-Standard Compensating Aids.  These are aids or equipment not
17a/b	П							•	•		described in the table on the left.
18a/b	П							•	•		The need for these aids must be
19a/b	П							•	•		supported through the Classification process and the aid approved by the Para
21	I		•	•	•	•	•			•	Driving Working Group.
22	П		•	•	•	•	•			•	*Must be listed on the FEI Classification
24	П		•	•	•	•	•			•	Master List once approved.
25	П			•	•	•	•	•			
26a	I			•	•	•	•	•	•		
26b	П			•	•	•	•	•	•		
27	П		•	•	•	•	•	•	•	•	
28	П							•			
31a/b	I		•	•	•	•	•	•	•	•	
32	I		•	•	•	•	•	•	•	•	
On Mas	ster List	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	

#### **FEI Classifier Code of Conduct**

### 1. General Principles

- 1.1. The role of the FEI Classifier is to act as an impartial evaluator in determining an Athlete's Grade and Grade Status. The integrity of Classification in the FEI and the Paralympic Movement rests on the professional conduct and behaviour of each individual Classifier.
- 1.2. In addition to this FEI Classifier Code of Conduct, all FEI Classification Personnel must at all times adhere to the:
- FEI Officials' Code of Conduct.
- All International Paralympic Committee (IPC) applicable rules including but not limited to IPC Code of Ethics, IPC Athlete Classification Code, IPC International Standard for Classifier Personnel and Training.
- FEI Classification Rules.
- FEI Rules and Regulations pertaining to Para Equestrian sport.

## 2. FEI Classifier Compliance with the FEI Classifier Code of Conduct

- 2.1. FEI Classifiers must value and respect the Athletes and Athlete Support Personnel.
- Must respect Athletes and Athlete Support Personnel and be sure that there is a courteous attitude during the classification process.
- Must maintain confidentiality of Athlete information and respect the dignity of the Athletes. In this sense it must comply with the International Standard for Classification Data Protection.
- Must treat Athletes with understanding, patience and dignity.
- Must perform their duties courteously, competently, consistently, and objectively for all Athletes regardless of team or national origin.
- Be open to discussion and interaction with Athletes and Athlete Support Personnel in accordance with the FEI Classification Rules.
- 2.2. FEI Classifiers must respect the FEI Classification Rules.
- Accurately and honestly represent their qualification, registration /certification/authority to practice in their home nation; and abilities when applying for training and certification, and when accepting classification opportunities at competitions.
- Understand the theory and practical aspects of the FEI Classification Rules and make their best efforts to make them widely known and understood by Athletes and Athlete Support Personnel.
- Continuously seek self-improvement through study of the Sport Rules, Classification Rules, mentoring lesser-experienced classifiers and developing trainee classifiers.
- Act as neutral evaluators in determining Grade and Grade Status for all Athletes.
- Disclose any relationship with a team, Athlete or Athlete Support Personnel that would otherwise constitute an actual, perceived or potential Conflict of Interest.
- The FEI shall have the right to determine, in its sole discretion, whether or not a Classifier has an actual, perceived and/or potential conflict of interest.
- Must not abuse their positions or capacity to obtain advantage or benefits.
- Ensure a level of fitness, physically and mentally, for the tasks required in carrying out Athlete Evaluation.
- Perform classification duties and related responsibilities not under the influence of alcohol or illegal substances.
- Must not assume any other role and responsibility that conflicts with their duties as Classification Personnel at a Competition.

Ī	
İ	
İ	
İ	
l	
I	
I	
I	
I	
I	
I	
l	
İ	
İ	
l	
l	
l	
l	
l	
I	
I	
I	
I	
l	
ļ	
1	